Designed by: Lindsey Weight - Fort Worth Fabric Studio




60" x 60"

Schedule Fabric Requirements: 👚 January 9 1/4 yard 3 1/8 yards 5/8 yard ★ January 30 February 13 5/8 yard 3/8 yard 1/4 yard February 27 March 13 1/2 yard 3/8 yard 1/2 yard (binding) April 10 May 8 3 7/8 yards 1/4 yard 1/2 yard (backing) May 29

Designed by: Lindsey Weight - Fort Worth Fabric Studio

Block One: Square in a Square Star



Read all instructions before starting. Use a scant 1/4" seam. WOF = Width of fabric.



4 1/4" x WOF Strip

Sub-cut: 2 - 4 1/4" x 4 1/4" squares, cut in half diagonally (C)



4 - 3 7/8" x 7 1/4" rectangles (B)

4 - 3 7/8" x 3 7/8" squares (A)



3 7/8" x WOF Strip

Sub-cut: 8 - 3 7/8" x 3 7/8" squares (D)



3 7/8" x 18"

Sub-cut: 1 - 3 7/8" x 3 7/8" squares (E)



4 5/8" x 9" strip

Sub-cut: 1 - 4 5/8" x x 4 5/8" square, cut in half diagonally twice. (F)





Block Assembly






Start with the E square. Line up the center of the F triangle with the center of your E square. Place right sides together and sew a triangle to the top and bottom of your E square. Press. Sew on the remaining two F triangles on the left and right side. Press.







Sew a C triangle to the top and bottom of your square in a square unit. Press. Sew on the two remaining C triangles to the left and right side and press. Make one unit.

Measures 7 1/4" x 7 1/4"








Start with the B rectangle and place a D square right sides together. Mark a line from corner to corner and stitch (dotted line) on that line. Trim off (gray line) excess 1/4" from your stitched line. **(SAVE THE TRIMMINGS FOR BONUS**


PROJECT) Press. Do the same to the right side of the B rectangle. **Make 4 flying geese units. Should measure 7 1/4" x 3 7/8"**



Sew an A square to the left and right side to two of your flying geese units. Press.




Sew a flying geese unit to the top and bottom of your square in a square unit. Press.



Sew the two remaining units to the left and right side. Press. **Block will measure 14" x 14"**

Designed by: Lindsey Weight - Fort Worth Fabric Studio

Block Two: Four Patch - Shoo Fly Variation



Read all instructions before starting. Use a scant 1/4" seam. WOF = Width of fabric. HST = half sqquare triangle.



2 - 3 7/8" WOF strips

Sub-cut:

4 - 3 7/8" x 7 1/4" rectangles (B)

4 - 3 7/8" x 3 7/8" squares (A)

4 - 3 7/8" x 2 1/4" rectangles (E)

2 - 2 3/4" x 2 3/4" squares, cut in half diagonally. (D)





2 - 23/4" x 23/4" squares, cut in half diagonally. (D)





2 - 2 1/8" x 2 1/8" squares (F)



2 - 2 1/8" x 2 1/8" squares (F)



1 - 3 7/8" x WOF Strip

Sub-cut: 8 - 3 7/8" x 3 7/8" squares (C)

Block Assembly



Sew F squares into a 4-patch. Press. Should measure 3 7/8" x 3 7/8"






Sew a red D triangle and a background D triangle together to make a half square triangle. Trim to 2 1/4" x 2 1/4" Make 4.



Sew an E rectangle between two half square triangle units. Make 2.



Take the 4-patch unit and sew an E rectangle to the top and bottom. Press.





Sew the HST strip unit to the left and right side. Press. Should measure 7 1/4" x 7 1/4"








Start with the B rectangle and place a C square right sides together. Mark a line from corner to corner and stitch (dotted line) on that line. Trim off (gray line) excess 1/4" from your stitched line. **(SAVE THE TRIMMINGS FOR BONUS**


PROJECT) Press. Do the same to the right side of the B rectangle. **Make 4 flying geese units.**Should measure 7 1/4" x 3 7/8"



Sew an A square to the left and right side to two of your flying geese units. Press. Make 2.




Sew a flying geese unit to the top and bottom of your square in a square unit. Press.



Sew the two remaining units to the left and right side. Press. **Block will measure 14" x 14"**

Designed by: Lindsey Weight - Fort Worth Fabric Studio

Block Three: Star in a Star



Read all instructions before starting. Use a scant 1/4" seam. WOF = Width of fabric. HST = half square triangle.



2 - 3 7/8" WOF strips

Sub-cut:

4 - 3 7/8" x 7 1/4" rectangles (B)

4 - 3 7/8" x 3 7/8" squares (A)

4 - 2 3/16" x 2 3/16" square (E)

4 - 2 3/16 "x 3 7/8" rectangles (F)



1 - 3 7/8" x WOF Strip

Sub-cut: 8 - 3 7/8" x 3 7/8" squares (C)



1 - 3 7/8" x 3 7/8" square (D)



8 - 2 3/16" x 2 3/16" squares (G)

Block Assembly








Start with the F rectangle and place a G square right sides together. Mark a line from corner to corner and stitch (dotted line) on that line. Trim off (gray line) excess 1/4" from your stitched line. Press. Do the same to the right side of the F rectangle. **Make 4 flying geese units.**


Should measure 2 3/16" x 3 7/8"



Sew an E square to the left and right side to two of your flying geese units. Press. Make 2.



Sew a flying geese unit to the top and bottom of your D square.
Press.








Start with the B rectangle and place a C square right sides together. Mark a line from corner to corner and stitch (dotted line) on that line. Trim off (gray line) excess 1/4" from your stitched line. **(SAVE**

THE TRIMMINGS FOR BONUS PROJECT)

Press. Do the same to the right side of the B rectangle. **Make 4 flying geese units.**




Sew the two remaining units to the left and right side. Press.


Block will measure 7 1/4" x 7 1/4"



Sew an A square to the left and right side to two of your flying geese units. Press. Make 2.



Sew a flying geese unit to the top and bottom of your small star unit. Press.




Sew the two remaining units to the left and right side. Press.

Block will measure 14" x 14"

Designed by: Lindsey Weight - Fort Worth Fabric Studio

Block Three: Pinwheel Star



Read all instructions before starting. Use a scant 1/4" seam. WOF = Width of fabric. HST = half square triangle.



2 - 3 %" WOF strips

Sub-cut:

4 - 3 1/8" x 7 1/4" rectangles (B)

4 - 3 %" x 3 %" squares (A)

2 - 4 %" x 4 %" squares, cut in half diagonally (D)





1 - 3 %" x WOF Strip

Sub-cut: 8 - 3 %" x 3 %" squares (C)



1 - 4 3/4" x 9" strip

Sub-cut 1 - 4 ¾" x 4 ¾" square, cut in half diagonally twice (F)





1 - 4 3/4" x 18" strip

Sub-cut 1 - 4 3/4" x 4 3/4" square, cut in half diagonally twice (E)



Block Assembly











Take your E and F triangles and sew them together. Press. Sew a D triangle to the unit and press. Make 4. Trim to 3 % x 3 %

Sew your units into rows of two. Press. Sew your rows together to make your pinwheel. Should measure $7 \frac{1}{4}$ " x $7 \frac{1}{4}$ "






THE TRIMMINGS FOR BONUS PROJECT)


Press. Do the same to the right side of the B rectangle. **Make 4 flying geese units.**



Sew an A square to the left and right side to two of your flying geese units. Press. Make 2.



Sew a flying geese unit to the top and bottom of your small star unit. Press.



Sew the two remaining units to the left and right side. Press.


Block will measure 14" x 14"


Designed by: Lindsey Weight - Fort Worth Fabric Studio

Read all instructions before starting. Use a 1/4" seam. WOF = Width of fabric. HST = half square triangle.

Flying Geese








Start with the B rectangle and place an A square right sides together. Mark a line from corner to corner and stitch (dotted line) on that line. Trim off (gray line) excess 1/4" from your stitched line. (SAVE THE TRIMMINGS FOR BONUS PROJECT) Press. Do the same to the right side of the B rectangle. Make 48 flying geese units - 4 1/4" x 8"

Designed by: Lindsey Weight - Fort Worth Fabric Studio

Block Five: Corner Stars



Read all instructions before starting. Use a 1/4" seam. WOF = Width of fabric. HST = half square triangle.



16 - 3" x 3" squares (A)

4 - 4" x 4" squares, cut in half diagonally twice (B)





4 - 3 %" x 3 %" squares, cut in half diagonally (C)





2 - 3" x 3" squares (A)

2 - 4" x 4" squares, cut in half diagonally twice (B)





4 - 3 %" x 3 %" squares, cut in half diagonally (C)





2 - 3" x 3" squares (A)

2 - 4" x 4" squares, cut in half diagonally twice (B)



Block Assembly












Take a B background triangle and a B red triangle and sew together, Press Make 4. Sew a C triangle to your B triangle units. Press. Make 4. Trim to 3" x 3"




Sew blocks into rows of three. Press.




Sew rows together. Press. Block Measures 8" x 8"





Designed by: Lindsey Weight - Fort Worth Fabric Studio

Chain Blocks



Read all instructions before starting. Use a 1/4" seam. WOF = Width of fabric. **These chain blocks are meant to be scrappy!**Your blocks do not have to match the picture as far as fabric placement goes!

Cutting:



40 - 2 1/4" x 2 1/4" squares (A)

20 - 3 %" x 7 ¼" rectangles (B)

20 - 3 %" x 2 ¼" rectangles (C)

Out of various red and blue prints:















80 - 2 ¼" x 2 ¼" squares. (A)

Assembly





Make 5

Make 20

Sew A squares into 4 patches. Trim 4 patches to 3%" x 3%".







Sew a C rectangle to the top and bottom of your 4 patch. Press.

Sew a C rectangle between two A squares. Press.

Sew strip to the left and right side. Press. Trim to $7 \frac{1}{4}$ " x $7 \frac{1}{4}$ "





Sew a B rectangle to the top and bottom of your unit Press

Sew a B rectangle between two 4 patches. Press.

Sew strip to the left and right side. Press. Block measures 14" x 14"

Make 5 Chain Blocks.

© Fort Worth Fabric Studio 2018, All Rights Reserved


Designed by: Lindsey Weight - Fort Worth Fabric Studio

Cutting:




4 - 2 3/4" x WOF Strips

Step 1: Sew blocks together into rows of three as pictured below. Press.




Step 2: Sew rows together. Press. Center of quilt should measure 41" x 41"




Step 3: Measure left and right side of quilt top and cut border strip to correct size. Sew to the left and right side.


Step 4: Sew your border strips end to end to make one long strip. Measure the top and bottom of your quilt top and cut border strips to correct size. Sew strips to the top and bottom of your quilt top.




Step 5: Sew flying geese units into rows of 12. Make four rows. Refer to quilt picture on last page for fabric placement.




Step 6: For the top and bottom flying geese rows, sew a Corner Star to each side of the flying geese rows.



Step 7: Sew flying geese borders to the left and right side. The best method for this is to find the center of your quilt, and the center of your flying geese row and pin border from the center out.



Step 8: Sew remaining flying geese border (with corner stars) to the top and bottom of your quilt top. Find the center of your quilt and the center of your border. Pin from the center out.



60.5" x 60.5"

Now you are ready to baste, quilt, and bind with your preferred methods.



Designed by: Lindsey Weight - Fort Worth Fabric Studio


Bonus Project

If you saved your triangle trimmings from your flying geese units, then you have all you need to make the blocks for this bonus project! Seam allowance is 1/4". HST = half square triangle.

Step 1: Sew a background triangle to a print triangle. Press. Trim to 3" x 3" Make 90 HST units. (45 red and 45 blue)





Step 2: Sew blocks into 9 patches. Make 5 of each block as pictured below. **Blocks are 8" x 8"**



Step 3: Sew blocks together alternating the blocks. Make two rows of 5 blocks. Press.

Step 4: Sew rows together. Press.





Now you are ready to baste, quilt and bind with your preferred methods.

15" x 37.5"



