


Fabric Organizer Pattern

Overview

A practical and stylish round fabric organizer with multiple inner pockets. Ideal for storing sewing supplies, craft tools, or small household items. Made with patchwork panels and a quilted base for structure.



Fabric Organizer Pattern



Finished Size

- Diameter: approx. 30 cm
 - Height: approx. 8 cm
-

Materials

- Assorted cotton fabrics (for patchwork panels)
 - Lining fabric
 - Batting (for structure)
 - Fusible interfacing (optional for firmness)
 - Sewing thread (matching or contrasting)
 - 6 buttons (optional decorative/functional)
 - Sewing machine
 - Pins or clips
 - Scissors / rotary cutter
-

Pattern Pieces

Piece A (Base)

- Cut 1 fabric + 1 batting
- Circle: **30 cm diameter**
- Quilted for structure

Piece B (Outer Panel)

- Cut 1 strip (patchwork or single fabric)
- Size: **120 cm x 8 cm**
- Divide into 6 sections (20 cm each)

Piece C (Inner Pockets)

- Cut 6 pieces
- Size: **8 cm x 18 cm**
- Rounded bottom corners

Piece D (Inner Wall Lining)

- Cut 1 piece
- Size: **120 cm x 8 cm**

Piece E (Pocket Linings)

- Cut 6 pieces
- Size: **18 cm x 8 cm**

Cutting Notes

- Add **1 cm seam allowance** to all sides
- Fuse interfacing to outer panels if needed
- Pre-wash fabrics to avoid shrinking

Assembly Instructions

1. Prepare Base

- Quilt Piece A (fabric + batting)
 - Use straight lines or diamond pattern
 - Set aside
-

2. Create Outer Panel (Piece B)

- Join fabric scraps to form strip (if patchwork)
 - Press seams flat
 - Fold top edge 1 cm and stitch
 - Optionally sew buttons centered on each section
-

3. Make Pocket Units (Pieces C + E)

- Place Piece C and Piece E right sides together
 - Sew around, leaving top open
 - Turn right side out and press
 - Topstitch upper edge
 - Repeat for all 6 pockets
-

4. Attach Pockets to Inner Wall (Piece D)

- Divide Piece D into 6 equal sections
- Pin one pocket per section
- Stitch sides and bottom of each pocket
- Leave top open

5. Form Circular Walls

- Sew short ends of Piece B together (outer ring)
- Sew short ends of Piece D together (inner ring)

6. Join Outer and Inner Panels

- Place outer and inner rings wrong sides together
- Align top edges and sew around

7. Attach to Base

- Pin wall ring to circular base (Piece A)
- Ease evenly around curve
- Sew slowly to maintain shape

8. Final Finishing

- Turn right side out
- Press edges
- Optional: topstitch around base seam

Optional Features

- Add elastic to pocket tops
- Insert interfacing for extra stiffness

- Add handles or tabs
 - Use contrasting fabrics for a patchwork look
-

Tips

- Clip curves when attaching base for smooth finish
 - Use clips instead of pins for thick layers
 - Press after every step for a clean result
 - Reinforce pocket seams for durability
-

Customization

- Increase height for deeper storage
- Add more pocket divisions
- Use denim or canvas for a sturdier version
- Adjust diameter by resizing base circle